



NOTES:
 1) DRAWING TO BE USED IN CONJUNCTION WITH 'MASTERSPEC' (4521)
 2) WINDOW SYSTEMS REQUIRE SPECIFIC DESIGN DEPENDING ON SPANS, WIND-LOADS, CLADDING SPECIFIED, ETC.
 3) INTERNAL REINFORCEMENT OPTIONS AVAILABLE

GLAZING: GLASS THICKNESS TO SUIT REQUIREMENTS
 HARDWARE: VARIOUS STANDARD HARDWARE OPTIONS AVAILABLE (OR CALL TO DISCUSS SPECIFIC COMPONENTS)
 FINISHES: POWDER-COAT / ANODISED / PVF²



02 HEAD
03 1:2

01 SILL
03 1:2



03 JAMB
03 1:2

04 TRANSOM
03 1:2

SYSTEM : PW1000 WITH TRIPLE BANK LOUVRE
 TYPE :
 www.thermosash.co.nz ~AUCKLAND: (09)444-4944 ~WELLINGTON: (04)939-4500 ~CHRISTCHURCH: (03)348-4004

SCALE: 1:2 @ A3
 DATE: Mar-21
 PAGE: Thermosash_Mech_160_TB



T:\USERS\Aimee's sub\NEW\FINAL TO KENT\Submit\6\Thermosash_Pw_Mech_160_TB.dwg